

CAMBRO healthcare



The Cure for the Common Kitchen™

CAMBRO
Healthcare

CAMBRO[®] Healthcare

the Cambro story

Founded in 1951, Cambro has become the leading plastics manufacturer for the foodservice industry. The company's first product, the Camtray[®], was made for Cambro's first customer, a hospital. Building on the success of that first product, thousands of quality and innovative products would follow. Today, Cambro Healthcare is focused on providing healthcare foodservice operators with innovative solutions for their unique needs.



1951



1960's



1970's



1980's



The Cure for the Common Kitchen

mission statement

Cambro Healthcare will strive to be the leading provider of solutions-based meal delivery systems. Our products and employees will provide value and innovation to the customers we serve.

table of contents

The Foundation to Patient Satisfaction	4-5
Meal Delivery Solutions	6-9
The Camtray	10
Non-Skid Versa Camtrays	10-11
Non-Skid Versa Camtrays for Room Service	11
Reusable CamLids®	12
Disposable Lids	3
Meal Delivery Carts	14

1990's



2000's



2010



2011




National Sanitation Foundation
NSF approved Cambro products display the NSF logo.



Cambro is committed to providing foodservice operators with products to help meet HAACP guidelines.


Meal Service At Its Best



Successful meal service is achieved through a well-timed and planned coordination of hot food, hot plate, and hot base. This “three-legged stool” concept shows how valuable each of these three pieces is for meal delivery and patient satisfaction. Without all parts working to their maximum potential, the overall performance and patient satisfaction is compromised.

Cambro Healthcare is committed to delivering system solutions that can address any issues experienced by foodservice operators.

Hot Food




The goal of any meal delivery system is to keep food hot and fresh. The success of the system begins with safe food handling and food preparation.

Hot Plate



If the food is ready to be plated for service, the plate must also be heated to proper temperatures (150° -170° F). If plate temperatures are substantially lower, the heat from the food will quickly be absorbed by the cooler plate and greatly diminish the food quality for the patients.


Hot Base/Pellet



Depending on your facility size and operational requirements, transport time can play a big role in the temperature of the food and that can greatly impact patient satisfaction. Adding a heated thermal Pellet or Base can improve holding times for hot food to upwards of 60 minutes. A Pellet or Base should be heated between 270° -290° F.

The Foundation to Successful Meal Service and Patient Satisfaction

PATIENT SATISFACTION DIAGRAM



Camduction™ Complete Heat System

The new standard of meal delivery systems, the Camduction Complete Heat System is designed to perform consistently under the most demanding conditions of healthcare foodservice.



- A heated Base ready every 12 seconds!*
- Bases and Pellets are durable and dishwasher safe.
- Resistant to chips, cracks, and breaks.
- Revolutionary technology eliminates errors or issues with spikes in voltage.
- Base and Pellet Underliner available in Shoreline colors. Pellet available only in black.
- Camduction Charger available for Bases or Pellets.
- Camduction Charger comes with 1 year warranty.

Camduction™ Complete Heat System




CODE	MDSCDCP9	MDSCDCB9
DESCRIPTION	Camduction Pellet Charger	Camduction Base Charger
NUMBER OF STACKS	2	2
CAPACITY	20 Pellets	20 Bases
OVERALL DIMENSIONS	Width: 30" x Depth: 18 1/8" x Height: 34 3/8"	
PRODUCT WEIGHT	108 lbs.	108 lbs.
VOLTAGE/PHASE	208-240 VAC, Single Phase	
AMPS	24.9 (MAX)	24.9 (MAX)
HZ	50/60	50/60
PLUG CONFIGURATION	NEMA L6-30P	NEMA L6-30P
CORD LENGTH	6 feet	6 feet
HEAT UP TIME PER BASE/PELLET	12 seconds	12 seconds
ALL INDICATOR LIGHTS	LED	LED

Case Pack: 1 Color: Stainless Steel (000).
 MDSCDCP9, MDSCDCB9, MDSCDB9 and MDSCDP9 are covered by U.S. Patent D 630,897 S.



The Results of the Camduction Complete Heat System

Real-world test methodology: Meatloaf, mashed potatoes, and lasagna were heated and placed on a heated Plate, heated Camduction Base and covered with a Shoreline Dome.



Accessories

CODE	PRODUCT DESCRIPTION	PRODUCT DIMENSIONS	CASE LBS. (CUBE)	CASE PACK
MDSCDB9	Camduction Base	1 8/9" H, 9 1/2" Diameter	32.5 (0.71)	12
MDSCDP9	Camduction Pellet	3/4" H x 8" L x 7 1/2" W	21.75 (0.32)	12
MDSCDL9	Camduction Pellet Underliner	1 6/7" H, 9 5/8" Diameter	5.93 (0.64)	12
MDSDCPKG480**	Camduction Pellet and Base Drying and Storage Cart	48" L x 18" W x 75" H	143.5 (16.13)	1
MDSDCCPKG480***	Camduction Cart for Charger	36" L x 24" W x 35" H	54.80 (2.32)	1
MDSPLT9	9" Ceramic Plate	1" H, 9" Diameter	38.80 (0.81)	24
MDS9	Insulated Dome	2 7/8" H, 10 3/16" D	10.75 (1.43)	12

*12 seconds at 220V • ** Ships in 4 separate carton s • ***Ships in 7 separate cartons




Camtherm® Plate Heater and Pellet Heater

- Even, convection heating from top to bottom of each silo with two blowers and two heating elements.
- Plate heater holds up to 100 plates and Pellet heater holds up to 80 pellets.
- Smart, dual-lid design conserves heat and energy by opening separately.
- Plates retain safe holding temperatures for at least 1 hour.




CODE	CHPEL80	CHPL100
DESCRIPTION	Pellet Heater	Plate Heater
NUMBER OF STACKS	2	2
CAPACITY	80 pellets (40 in each stack)	100 plates (50 in each stack)
OVERALL DIMENSIONS	Width: 36½" x Depth: 25¼" x Height: 46¼"	
Electrical Specifications		
VOLTAGE/PHASE	208-240 VAC	208-240 VAC
AMPS	15	15
WATTS	3500	3500
HZ	50/60	50/60
ELECTRICAL CORD	6'	6'
NEMA PLUG CONFIGURATION	6-15	6-15
FACTORY SET TEMPERATURE	270 – 290°F	150 – 170°F
PRODUCT WEIGHT	248 lbs.	248 lbs.
CASE LBS (CUBE)	330 (37.38)	330 (37.38)

Case Pack: 1 Color: Stainless Steel (000).



The Shoreline Meal Delivery System

- A contemporary look, high performance, and unequalled safety at a budget-friendly price.
- Shoreline Domes fit perfectly with both Camduction Bases, Camduction Pellets, or Cambro Thermal Pellets.
- Cambro Thermal Pellets stay 20°F cooler on the edge than metal pellets to protect staff and patients.
- Thermal pellets are made of a high-density composite that won't crack or dent like metal pellets.



CODE	MDS9	MDSL9	MDSPL9	MDSP9
DESCRIPTION	Insulated Dome	Pellet Underliner	Ceramic Plate	Thermal Pellet
APPROX. CAPACITY	9" plate	9½" pellet	—	9" plate
OUTSIDE DIAMETER	10⅞"	9⅞"	9"	9½"
HEIGHT	2⅞"	1⅜"	1"	1¾"
FULL-SIZE CAMRACK®	PR59314	PR59314	PR314	PR59314
CASE PACK	12	12	24	12
CASE LBS. (CUBE)	10.75 (1.43)	5.25 (0.47)	38.80 (0.81)	29.90 (0.64)


MDS9 Color: Dark Gray (477). MDSPL9 Color: Ivory (000). MDSPL9 Price per case.

Shoreline Meal Delivery Colors:

	Speckled Gray (480)		Navy Blue (497)		Cranberry (487)		Black (110)
--	---------------------	--	-----------------	--	-----------------	--	-------------

Heat Keeper Insulated Base System – The Cost-Effective Solution For Heat Retention.

- Cost-effective way to maintain meal delivery temperature.
- Insulated bas resists stains, odors, and scratches.



CODE	MDS09	HK39B	MDSPLT9
DESCRIPTION	Insulated Dome	Insulated Base	Ceramic Plate
APPROX. CAPACITY	9" plate	9" pellet	—
OUTSIDE DIAMETER	10 ¹ / ₁₆ "	9 ⁵ / ₈ "	9"
HEIGHT	2 ⁷ / ₈ "	4 ¹ / ₈ "	1"
FULL-SIZE CAMRACK®	PR59314	CRP12910	PR314
CASE PACK	12	12	24
CASE LBS. (CUBE)	10.75 (1.43)	7.45 (0.79)	38.80 (0.81)


MDS09 Color: Dark Gray (477). MDSPLT9 Color: Ivory (000).
 HK39B Colors: Black (110), Cranberry (487), Navy Blue (497), Speckled Gray (480). MDSPLT9 Price per case.



Time and Temperature Analysis

Contact your local Cambro Representative for a customized Time and Temperature Analysis. This free service will provide you with accurate temperature readings at all stages of the meal delivery cycle. This knowledge will allow you to pursue system solutions that will directly impact patient satisfaction.

Find a Representative at www.cambro.com or call 800.854.7631.




Camshelving® Dome Drying and Storage Cart

- Keeps trayline and dishwashing areas organized and efficient.
- Securely holds 100 each 10" domes and/or pellet underliners.
- Cradles made of stainless steel.
- Shelving posts and traverses feature a steel core with a smooth polypropylene exterior.
- Cradles are removable and fit into a Camrack® base rack for dishwasher service.

CODE	DESCRIPTION	DIMENSIONS L x W x H	CASE LBS. (CUBE)
CSDDCPKG480	Dome Drying and Storage Cart Carton 1: 2 Post Kits, 10 Traverses and 4 Casters Carton 2: Set of 5 Drying Cradles Carton 3: Set of 5 Drying Cradles	36" x 18" x 75"	80.0 (5.21) 17.0 (2.51) 17.0 (2.51)
CSDC	Dome Drying Cradle	17 ³ / ₄ " x 10" x 16"	4.50 (1.89)

Case Pack: 1



The Camtray®

The Original and most popular tray in the world.

Nothing withstands the test of time like a Cambro Camtray. Designed to outlast just about everything, Camtrays are backed by a 5 year prorated warranty against cracking, warping or breakage. Durable fiberglass construction ensures that Camtrays will perform in the most demanding environments and last for decades.

- Made of lightweight, high-impact fiberglass with reinforced edges.
- Stain, odor and scratch resistant.
- Molded-in Dri-Stak separators ensure even air flow between trays for quick drying.
- Stacking lugs keep trays stacked in place.
- Available in 6 shapes, 40 sizes, and over 50 colors.



Free Personalized Camtray Sample

Order a Free Personalized Camtray sample. Email your facility logo or photo to your Cambro Representative and receive a free personalized sample.

Find a Representative at www.cambro.com or call 800.854.7631.

Non-Skid Versa Camtrays

Non-Skid Trays reduce waste, save money and provide a stable tray surface for meal delivery.

- Non-Skid Camtrays provide a better grip for safer meal delivery.
- Dishwasher safe in low and high temperatures.
- Stacking lugs allow for quick drying.


Non-Skid Versa Camtray for Room Service

- Ergonomic handles allow for safe and elegant meal delivery.
- Trays fit within existing meal delivery carts that accommodate 15" x 20" trays.
- Dishwasher safe at high and low temperatures.



CODE	DESCRIPTION	DIMENSIONS	CASE LBS. (CUBE)
1418	Camtray	14" x 18"	19.52 (0.75)
1520	Camtray	15" x 20"	21.22 (0.80)
1418VC	Non-Skid Versa Camtray	14" x 18"	20.74 (0.69)
1520VC	Non-Skid Versa Camtray	15" x 20"	26.05 (0.61)
1622VC	Non-Skid Versa Camtray	16" x 22"	31.8 (1.11)
1418VDC	Non-Skid Versa Dietary Tray	14" x 18"	20.45 (0.75)
1520VDC	Non-Skid Versa Dietary Tray	15" x 20"	26.9 (0.74)
1418VCC	Non-Skid Versa Century Camtray	14" x 18"	20.4 (0.55)
1520VCC	Non-Skid Versa Century Camtray	15" x 20"	26.32 (0.92)
1520VCRST	Room Service Non-Skid Camtray	15" x 20"	28 (0.92)

Case Pack: 12



Ergonomic handles allow for safe and elegant meal delivery.

Trays fit within existing meal delivery carts that accommodate 15" x 20" trays.

Dishwasher safe at high and low temperatures.

Non-Skid Versa Camtray for Room Service




Savings Calculator

Switching to Non-Skid Trays from disposable paper tray mats can save foodservice operators thousands of dollars annually and reduce waste-stream by several tons each year. Find out what the impact to your bottom line is by using our Savings Calculator at www.cambro.com/savemoney.



Reusable CamLids® and Camrack® Wash and Store Rack

- Save up to 75% in lid costs each year.
- Reduce your waste-stream by tons each year when you switch from disposable lids to reusables.
- Dishwasher safe.



24CWPER100

Camrack Wash and Store Rack

Specifically designed for safely and securely washing and storing Reusable CamLids. Each Camrack Wash and Store Rack holds 36 Reusable CamLids.



CODE	DESCRIPTION	DIMENSIONS H x DIA.	CASE LBS. (CUBE)	CASE PACK
Reusable CamLids				
CLRSM8B5	Fits Shoreline 8 oz. mug and 5 oz. bowl	2 7/8" x 3 3/4"	5.31 (0.91)	240
CLRSB9	Fits Shoreline 9 oz. bowl	2 7/8" x 4 2/3"	7.14 (0.91)	240
Accessories		L x W x H		
CLRWSR36	Camrack Wash and Store Rack for Reusable Lids	8 1/4" x 18" x 5 1/2"	4.21 (1.27)	4
24CWPER100 (SO 091696A)	Soiled CamLid container for Reusable Lids	Pan Depth 4"	7.03 (0.87)	6
BR578	Camrack Full Size Base Rack with 2 extenders	19 3/4" x 19 3/4" x 7 1/4"	22.5 (6.93)	4
DRC2020	Full Rack Cover	19 3/4" x 19 3/4" x 1 15/16"	4.2 (0.34)	1

Reusable CamLids sold in cases only. No broken cartons.



Savings Calculator

Switching to Reusable CamLids from disposable lids can save foodservice operators thousands of dollars each year and reduce waste-stream by several tons each year.

Find out what the impact to your bottom line is by using our Savings Calculator at www.cambro.com/savemoney.



Disposable CamLids®

Disposable CamLids® for Shoreline Mugs and Bowls

Disposable lids are designed to fit Shoreline Mugs and Bowls as well as a variety of other meal delivery ware.

LID CODE	FITS MODEL(S)
CLSM8B5190	MDSB5, MDSM8
CLSB9190	MDSB9
CLSSM8B5148	MDSB5, MDSM8



Disposable CamLids® for Tumblers and Bowls

Over 10 different types of lids to fit a variety of tumblers, including Newport, Laguna®, and Colorware Tumblers.

Tumbler capacity ranges from 6 to 20 ounces. Swirl bowl and lid available in 5 ounce capacity.

LID CODE	TUMBLER CODE	CAPACITY
Newport		
CLNT5	NT5	6.4 oz.
CLNT8	NT8	7.7 oz.
CLNT10	NT10	10 oz.
CLNT12	NT12	12.6 oz.
CLNT20	NT20	20 oz.
Laguna®		
CLLT6	LT6	6 oz.
CLLT10	LT10	10 oz.
CLLT12	LT12	12 oz.
Colorware		
CL900P	900P/900P2	9.7 oz.
CL950P	950P/950P2	9.8 oz.

LID CODE	SWIRL BOWL	CAPACITY
CLSB5	SRB5CW/SRB5	5 oz.



Disposable Lid Guide

Cambro Healthcare offers a wide variety of disposable lids. To fit a lid for your tumblers or other meal delivery products, contact your Cambro Sales Representative.

Find a Representative at www.cambro.com or call 800.854.7631.

Meal Delivery Carts for Tray Service: Durable. Quiet. Performance.

- Use to transport meal trays from the kitchen to acute care patients, nursing home residents or correctional facility inmates.
- Ensures optimal food quality and short delivery times.
- Rail spacing holds all standard tray set-ups with clearances up to 5½" high.
- Made of tough, one-piece, double-wall polyethylene.
- Easy to clean and won't rust, dent, crack, chip or break.
- Tall profile units have light-weight non-insulated ABS doors. Low profile units have insulated polyethylene doors.



CODE	TRAY SIZE	TRAYS PER CART / PER COMPARTMENT	TRAYS PER RAIL / RAIL SPACING	EXTERNAL DIMENSIONS W x D x H	UNIT WEIGHT LBS	CASE LBS. (CUBE)
MDC1520S20	15" x 20"	20 / 10	2 / 5½"	55½" x 38" x 43¼"	160 lbs.	165.2 (55.7)
MDC1418S20	14" x 18"	20 / 10	2 / 5½"	48½" x 32½" x 44"	151 lbs.	160.4 (41.53)
MDC1520T30	15" x 20"	30 / 10	1 / 5"	60" x 29¼" x 63⅝"	224 lbs.	234 (70.67)
MDC1418T30	14" x 18"	30 / 10	1 / 5"	60" x 29¼" x 63⅝"	228 lbs.	278 (65.5)
MDC1520T16	15" x 20"	16 / 8	2 / 5¼"	30⅝" x 39⅝" x 58¼"	148 lbs.	167.7 (45.87)
MDC1418T16	14" x 18"	16 / 8	2 / 5¼"	28" x 36⅝" x 58¼"	128 lbs.	140.67 (39.44)



Additional Products for Healthcare Operators



Shelving

Whether you choose Camshelving® or Camshelving Elements Series as your storage solution, weight capacity, durability and hygienic design come standard.



Insulated Transport

For operators requiring remote or satellite feeding of patients and employees, nothing keeps your hot food hot and your cold food cold better than an insulated transport solution from Cambro.



Merchandising

Whether you're looking for new sources of revenue or simply need to offer options throughout your campus, Cambro offers a wide variety of durable and portable Merchandising solutions.



CAMBRO
Healthcare

125424, г. Москва, Волоколамское шоссе, д. 88, стр. 8
Тел./факс: +74955404600

РУССКИЙ ПРОЕКТ
www.rp.ru