



VERONA

Straight display



pastorfrigor



РУССКИЙ ПРОЕКТ
WWW.RP.RU



TOTAL INSULATION

22 cm front height and the underneath bodyfully insulated for a perfect refrigeration.



TECHNICAL FEATURES



VERONA



STANDARD RAL COLOURS

1015	1021	2011
3002	3020	5002
5012	6018	7035
7037	9006	9010

STANDARD EQUIPMENT

- Fan assisted cooling
- Thermostatic Valve
- Single top lighting T8
- 4 shelves 500 mm for with price holder
- Front bumper ABS

ACCESSORIES

- White painted divider base grid
- Top double lighting
- EC fans
- Electronic valve
- Couple of sidewalls blind, with mirror or panoramic
- Stainless Steel bumper

MODULES LENGTH


	2500 mm	3750 mm
P105 H205	●	●
P105 H216	●	●
P115 H205	●	●
P115 H216*	●	●

* P = Width - H = Height


CROSS SECTIONS




VERONA




H205 P105 OF




H216 P105 OF




H205 P105 C



H216 P105 C



H205 P105 SL




H216 P105 SL


CROSS SECTIONS




VERONA




VERONA LF H205 M2




H205 P115 OF




H216 P115 OF




H205 P115 C



H216 P115 C



H205 P115 SL



H216 P115 SL



pastorfrigor
Italian Cold Style 

125424, г. Москва, Волоколамское шоссе д. 88, стр. 8
тел./факс: +74955404600

РУССКИЙ ПРОЕКТ[®]
WWW.RP.RU