

Multidecks





MDS1000-P

Multideck

Product features:

- Premium design
- Generous display space
- Insulated doors help save energy
- Self-closing sliding glass doors
- Adjustable shelves with tilting function
- Ventilated cooling



Lock



Adjustable shelves with tilting function

Technical data	
Gross / Net Volume	685 / 601 l
Gross / Net Weight	226 / 216 kg
Climate Class	3
Temperature Range	2 to 8 °C
Door Number & Type	2 Self-closing sliding glass doors
Shelves Number & Type	4 White coated steel
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	Grey, RAL9006
Interior Finish	White / Glass
Lock	Yes
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R290
Input Power	750 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	6.9 kWh/24h
Internal Dimension (WxDxH)	945 x 480 x 1380 mm
External Dimension (WxDxH)	985 x 737 x 1987 mm
Packed Dimension (WxDxH)	1090 x 760 x 2150 mm
40ft Container Load	33 pcs



MDS1400-P

Multideck

Product features:

- Premium design
- Generous display space
- Insulated doors help save energy
- Self-closing sliding glass doors
- Adjustable shelves with tilting function
- Ventilated cooling



Lock



Adjustable shelves with tilting function

Technical data	
Gross / Net Volume	940 / 825 l
Gross / Net Weight	275 / 247 kg
Climate Class	3
Temperature Range	2 to 8 °C
Door Number & Type	2 Self-closing sliding glass doors
Shelves Number & Type	4 White coated steel
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	Grey, RAL9006
Interior Finish	White / Glass
Lock	Yes
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R290
Refrigerant Charge	140 g
Input Power	930 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	10.5 kWh/24h
Internal Dimension (WxDxH)	1295 x 480 x 1380 mm
External Dimension (WxDxH)	1335 x 737 x 1987 mm
Packed Dimension (WxDxH)	1440 x 760 x 2150 mm
40ft Container Load	25 pcs



MDS1900-P

Multideck

Product features:

- Premium design
- Generous display space
- Insulated doors help save energy
- Self-closing sliding glass doors
- Adjustable shelves with tilting function
- Ventilated cooling



Lock



Adjustable shelves with tilting function

Technical data	
Gross / Net Volume	1340 / 1180 l
Gross / Net Weight	346 / 327 kg
Climate Class	3
Temperature Range	2 to 8 °C
Door Number & Type	2 Self-closing sliding glass doors
Shelves Number & Type	4 White coated steel
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	Grey, RAL9006
Interior Finish	White / Glass
Lock	Yes
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R290
Input Power	1200 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	14.5 kWh/24h
Internal Dimension (WxDxH)	1845 x 480 x 1380 mm
External Dimension (WxDxH)	1885 x 737 x 1987 mm
Packed Dimension (WxDxH)	1990 x 760 x 2150 mm
40ft Container Load	18 pcs



MD600-SLIM

Open Front Cooler

Product features:

- Slim model - only 580 mm depth
- White finish
- Adjustable shelves with tilting function
- Temperature range 2-8°C
- LED interior light with switch
- Digital controller and temperature display



Soft release night blind /
curtain



Adjustable shelves with
tilting function

Technical data	
Gross / Net Volume	335 / 226 l
Gross / Net Weight	133 / 124 kg
Climate Class	3
Temperature Range	2 to 8 °C
Shelves Number & Type	4 White coated tilting
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	White
Interior Finish	White / Glass
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R452
Refrigerant Charge	590 g
Input Power	870 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	15.7 kWh/24h
Internal Dimension (WxDxH)	600 x 517 x 1347 mm
External Dimension (WxDxH)	670 x 580 x 2005 mm
Packed Dimension (WxDxH)	740 x 665 x 2140 mm
40ft Container Load	54 pcs



MD600X-SLIM

Open Front Cooler

Product features:

- Slim model - only 580 mm depth
- Stainless steel finish
- Adjustable shelves with tilting function
- Temperature range 2-8°C
- LED interior light with switch
- Digital controller and temperature display



Soft release night blind /
curtain



Adjustable shelves with
tilting function

Technical data	
Gross / Net Volume	335 / 226 l
Gross / Net Weight	133 / 124 kg
Climate Class	3
Temperature Range	2 to 8 °C
Shelves Number & Type	4 SS304 tilting
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	Stainless steel
Interior Finish	Stainless steel / Glass
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R452
Refrigerant Charge	590 g
Input Power	870 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	15.7 kWh/24h
Internal Dimension (WxDxH)	600 x 517 x 1347 mm
External Dimension (WxDxH)	670 x 580 x 2005 mm
Packed Dimension (WxDxH)	740 x 665 x 2140 mm
40ft Container Load	54 pcs



MD900-SLIM

Open Front Cooler

Product features:

- Slim model - only 580 mm depth
- White finish
- Adjustable shelves with tilting function
- Temperature range 2-8°C
- LED interior light with switch
- Digital controller and temperature display



Soft release night blind /
curtain



Adjustable shelves with
tilting function

Technical data	
Gross / Net Volume	503 / 342 l
Gross / Net Weight	165 / 152 kg
Climate Class	3
Temperature Range	2 to 8 °C
Shelves Number & Type	4 White coated tilting
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	White
Interior Finish	White / Glass
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R452
Refrigerant Charge	640 g
Input Power	940 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	19.8 kWh/24h
Internal Dimension (WxDxH)	900 x 517 x 1347 mm
External Dimension (WxDxH)	970 x 580 x 2005 mm
Packed Dimension (WxDxH)	1040 x 665 x 2140 mm
40ft Container Load	36 pcs



MD900X-SLIM

Open Front Cooler

Product features:

- Slim model - only 580 mm depth
- Stainless steel finish
- Adjustable shelves with tilting function
- Temperature range 2-8°C
- LED interior light with switch
- Digital controller and temperature display



Soft release night blind /
curtain



Adjustable shelves with
tilting function

Technical data	
Gross / Net Volume	503 / 342 l
Gross / Net Weight	165 / 152 kg
Climate Class	3
Temperature Range	2 to 8 °C
Shelves Number & Type	4 SS304 tilting
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	Stainless steel
Interior Finish	Stainless steel / Glass
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R452
Refrigerant Charge	640 g
Input Power	940 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	19.8 kWh/24h
Internal Dimension (WxDxH)	900 x 517 x 1347 mm
External Dimension (WxDxH)	970 x 580 x 2005 mm
Packed Dimension (WxDxH)	1040 x 665 x 2140 mm
40ft Container Load	36 pcs



MD1100-SLIM

Open Front Cooler

Product features:

- Slim model - only 580 mm depth
- White finish
- Adjustable shelves with tilting function
- Temperature range 2-8°C
- LED interior light with switch
- Digital controller and temperature display



Soft release night blind /
curtain



Adjustable shelves with
tilting function

Technical data	
Gross / Net Volume	615 / 418 l
Gross / Net Weight	179 / 158 kg
Climate Class	3
Temperature Range	2 to 8 °C
Shelves Number & Type	4 White coated tilting
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	White
Interior Finish	White / Glass
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R452
Refrigerant Charge	1190 g
Input Power	1040 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	19.9 kWh/24h
Internal Dimension (WxDxH)	1100 x 517 x 1347 mm
External Dimension (WxDxH)	1170 x 580 x 2005 mm
Packed Dimension (WxDxH)	1240 x 665 x 2140 mm
40ft Container Load	28 pcs



MD1100X-SLIM

Open Front Cooler

Product features:

- Slim model - only 580 mm depth
- Stainless steel finish
- Adjustable shelves with tilting function
- Temperature range 2-8°C
- LED interior light with switch
- Digital controller and temperature display



Soft release night blind /
curtain



Adjustable shelves with
tilting function

Technical data	
Gross / Net Volume	615 / 418 l
Gross / Net Weight	179 / 158 kg
Climate Class	3
Temperature Range	2 to 8 °C
Shelves Number & Type	4 SS304 tilting
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	Stainless steel
Interior Finish	Stainless steel / Glass
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R452
Refrigerant Charge	1190 g
Input Power	1040 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	19.9 kWh/24h
Internal Dimension (WxDxH)	1100 x 517 x 1347 mm
External Dimension (WxDxH)	1170 x 580 x 2005 mm
Packed Dimension (WxDxH)	1240 x 665 x 2140 mm
40ft Container Load	28 pcs



MD700X-ZERO

Open Front Cooler

Product features:

- Premium design
- Stainless steel finish
- Adjustable shelves with tilting function
- Temperature range 0-4°C
- LED interior light with switch
- Digital controller and temperature display



Soft release night blind /
curtain



Adjustable shelves with
tilting function

Technical data

Gross / Net Volume	438 / 318 l
Gross / Net Weight	142 / 126 kg
Climate Class	3
Temperature Range	0 to 4 °C
Shelves Number & Type	4 SS304 tilting
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	Stainless steel
Interior Finish	Stainless steel / Glass
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R452
Refrigerant Charge	590 g
Input Power	1240 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	20 kWh/24h
Internal Dimension (WxDxH)	600 x 444 x 1355 mm
External Dimension (WxDxH)	685 x 727 x 1985 mm
Packed Dimension (WxDxH)	750 x 760 x 2120 mm
40ft Container Load	48 pcs



MD1000X-ZERO

Open Front Cooler

Product features:

- Premium design
- Stainless steel finish
- Adjustable shelves with tilting function
- Temperature range 0-4°C
- LED interior light with switch
- Digital controller and temperature display



Soft release night blind / curtain



Adjustable shelves with tilting function

Technical data	
Gross / Net Volume	657 / 447 l
Gross / Net Weight	180 / 162 kg
Climate Class	3
Temperature Range	0 to 4 °C
Shelves Number & Type	4 SS304 tilting
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	Stainless steel
Interior Finish	Stainless steel / Glass
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R452
Refrigerant Charge	1190 g
Input Power	1300 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	23.9 kWh/24h
Internal Dimension (WxDxH)	900 x 444 x 1355 mm
External Dimension (WxDxH)	985 x 737 x 1985 mm
Packed Dimension (WxDxH)	1050 x 760 x 2120 mm
40ft Container Load	33 pcs



MD1000

Open Front Cooler

Product features:

- Premium design
- White finish
- Adjustable shelves with tilting function
- Temperature range 2-8°C
- LED interior light with switch
- Digital controller and temperature display



Soft release night blind /
curtain



Adjustable shelves with
tilting function

Technical data	
Gross / Net Volume	657 / 447 l
Gross / Net Weight	180 / 162 kg
Climate Class	3
Temperature Range	2 to 8 °C
Shelves Number & Type	4 White coated tilting
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	White
Interior Finish	White / Glass
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R452
Refrigerant Charge	640 g
Input Power	950 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	20.5 kWh/24h
Internal Dimension (WxDxH)	900 x 444 x 1355 mm
External Dimension (WxDxH)	985 x 737 x 1985 mm
Packed Dimension (WxDxH)	1050 x 760 x 2120 mm
40ft Container Load	33 pcs



MD1000X

Open Front Cooler

Product features:

- Premium design
- Stainless steel finish
- Adjustable shelves with tilting function
- Temperature range 2-8°C
- LED interior light with switch
- Digital controller and temperature display



Soft release night blind /
curtain



Adjustable shelves with
tilting function

Technical data

Gross / Net Volume	657 / 447 l
Gross / Net Weight	180 / 162 kg
Climate Class	3
Temperature Range	2 to 8 °C
Shelves Number & Type	4 SS304 tilting
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	Stainless steel
Interior Finish	Stainless steel / Glass
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R452
Refrigerant Charge	640 g
Input Power	950 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	20.5 kWh/24h
Internal Dimension (WxDxH)	900 x 444 x 1355 mm
External Dimension (WxDxH)	985 x 737 x 1985 mm
Packed Dimension (WxDxH)	1050 x 760 x 2120 mm
40ft Container Load	33 pcs



MD1400

Open Front Cooler

Product features:

- Premium design
- White finish
- Adjustable shelves with tilting function
- Temperature range 2-8°C
- LED interior light with switch
- Digital controller and temperature display



Soft release night blind /
curtain



Adjustable shelves with
tilting function

Technical data	
Gross / Net Volume	913 / 663 l
Gross / Net Weight	207 / 185 kg
Climate Class	3
Temperature Range	2 to 8 °C
Shelves Number & Type	4 White coated tilting
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	White
Interior Finish	White / Glass
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R452
Refrigerant Charge	1190 g
Input Power	1200 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	25.9 kWh/24h
Internal Dimension (WxDxH)	1250 x 444 x 1355 mm
External Dimension (WxDxH)	1335 x 737 x 1985 mm
Packed Dimension (WxDxH)	1400 x 760 x 2120 mm
40ft Container Load	25 pcs



MD1400X

Open Front Cooler

Product features:

- Premium design
- Stainless steel finish
- Adjustable shelves with tilting function
- Temperature range 2-8°C
- LED interior light with switch
- Digital controller and temperature display



Soft release night blind /
curtain



Adjustable shelves with
tilting function

Technical data	
Gross / Net Volume	913 / 663 l
Gross / Net Weight	207 / 185 kg
Climate Class	3
Temperature Range	2 to 8 °C
Shelves Number & Type	4 SS304 tilting
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	Stainless steel
Interior Finish	Stainless steel / Glass
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R452
Refrigerant Charge	1190 g
Input Power	1200 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	25.9 kWh/24h
Internal Dimension (WxDxH)	1250 x 444 x 1355 mm
External Dimension (WxDxH)	1335 x 737 x 1985 mm
Packed Dimension (WxDxH)	1400 x 760 x 2120 mm
40ft Container Load	25 pcs



MD1900

Open Front Cooler

Product features:

- Premium design
- White finish
- Adjustable shelves with tilting function
- Temperature range 2-8°C
- LED interior light with switch
- Digital controller and temperature display



Soft release night blind /
curtain



Adjustable shelves with
tilting function

Technical data	
Gross / Net Volume	1314 / 954 l
Gross / Net Weight	257 / 228 kg
Climate Class	3
Temperature Range	2 to 8 °C
Shelves Number & Type	4 White coated tilting
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	White
Interior Finish	White / Glass
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R452
Refrigerant Charge	1500 g
Input Power	1550 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	30.8 kWh/24h
Internal Dimension (WxDxH)	1800 x 444 x 1355 mm
External Dimension (WxDxH)	1885 x 737 x 1985 mm
Packed Dimension (WxDxH)	1920 x 760 x 2120 mm
40ft Container Load	18 pcs



MD1900X

Open Front Cooler

Product features:

- Premium design
- Stainless steel finish
- Adjustable shelves with tilting function
- Temperature range 2-8°C
- LED interior light with switch
- Digital controller and temperature display



Soft release night blind /
curtain



Adjustable shelves with
tilting function

Technical data	
Gross / Net Volume	1314 / 954 l
Gross / Net Weight	257 / 228 kg
Climate Class	3
Temperature Range	2 to 8 °C
Shelves Number & Type	4 SS304 tilting
Interior Light	LED
Feet / Legs	4 adjustable feet
Exterior Finish	Stainless steel
Interior Finish	Stainless steel / Glass
Thermometer	Yes
Type of Controller	Electronic
Noise Level	55 db(A)
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R452
Refrigerant Charge	1500 g
Input Power	1550 W
Voltage / Frequency	220-240/50 V/Hz
Energy Consumption	30.8 kWh/24h
Internal Dimension (WxDxH)	1800 x 444 x 1355 mm
External Dimension (WxDxH)	1885 x 737 x 1985 mm
Packed Dimension (WxDxH)	1920 x 760 x 2120 mm
40ft Container Load	18 pcs

TEFCOLD[®] 
Cool Products Worldwide

125424, г. Москва, Волоколамское шоссе, д. 88, стр. 8
Тел./факс: +74955404600

РУССКИЙ ПРОЕКТ[®]
WWW.RP.RU